

Profitability of Biofuels Production

The Case of Ethiopia

**Zenebe Gebreegziabher, Alemu Mekonnen, Tadele Ferede, and
Gunnar Köhlin**



Environment for Development Centers

Central America

Research Program in Economics and Environment for Development
in Central America
Tropical Agricultural Research and Higher Education Center
(CATIE)
Email: centralamerica@efdinitiative.org



Chile

Research Nucleus on Environmental and Natural Resource
Economics (NENRE)
Universidad de Concepción
Email: chile@efdinitiative.org



UNIVERSIDAD
DE CONCEPCION

China

Environmental Economics Program in China (EEPC)
Peking University
Email: china@efdinitiative.org



Ethiopia

Environmental Economics Policy Forum for Ethiopia (EEPFE)
Ethiopian Development Research Institute (EDRI/AAU)
Email: ethiopia@efdinitiative.org



Kenya

Environment for Development Kenya
University of Nairobi with
Kenya Institute for Public Policy Research and Analysis (KIPPRA)
Email: kenya@efdinitiative.org



South Africa

Environmental Economics Policy Research Unit (EPRU)
University of Cape Town
Email: southafrica@efdinitiative.org



Sweden

Environmental Economics Unit
University of Gothenburg
Email: info@efdinitiative.org



School of Business,
Economics and Law
UNIVERSITY OF GOTHENBURG

Tanzania

Environment for Development Tanzania
University of Dar es Salaam
Email: tanzania@efdinitiative.org



USA (Washington, DC)

Resources for the Future (RFF)
Email: usa@efdinitiative.org



The Environment for Development (Efd) initiative is an environmental economics program focused on international research collaboration, policy advice, and academic training. Financial support is provided by the Swedish International Development Cooperation Agency (Sida). Learn more at www.efdinitiative.org or contact info@efdinitiative.org.

Profitability of Biofuels Production: the Case of Ethiopia

Zenebe Gebreegziabher, Alemu Mekonnen, Tadele Ferede, and Gunnar Köhlin

Abstract

This research investigates the profitability of biofuels production in Africa, taking Ethiopia as a case in point, and suggests an oil price threshold beyond which biofuel may be profitable. Specifically, the study analyzes the viability of bioethanol from molasses and biodiesel from other feedstock in the context of Ethiopia, using data from a biofuels investment survey by EEPFE/EDRI in 2010, and makes estimates based on field visits. We draw on investment theory as our underlying conceptual framework and we employ unit cost analysis for our empirical analysis. Findings reveal that, while bioethanol production (from molasses) in Ethiopia can be quite viable, the viability and competitiveness of biodiesel production will largely depend on the cost and price of feedstock. In particular, if the world oil price is expected to vary between \$US42 and \$US200 per barrel, biodiesel firms in Ethiopia must be able to produce at less than \$US1 per liter. This suggests that viable alternatives of coproduction through value addition from byproduct seedcake and intercropping options need to be considered to enhance profitability of biodiesel production. Moreover, research and development efforts and knowledge support to the biofuels industry, including a search for better adaptive and better yielding varieties and good oil quality biofuels crops, as well as better regulatory framework and follow-up, are necessary. Overall, the biofuels industry can be viewed as a way out of poverty but a lot remains to be done to enhance its viability. This is a case study involving a few observations because of the small size of the universe of producers studied; hence, further analysis is called for as the sector expands.

Key Words: profitability, biodiesel, bioethanol, oil price threshold, Ethiopia

JL Codes: Q56, Q42

Contents

1. Introduction.....	1
2. Literature Review	3
3. Biofuels Sector in Ethiopia: Overview	6
4. Methodology	8
4.1 Conceptual Framework.....	8
4.2 Data Analysis, Context and Study Considerations	10
5. Results and Discussion.....	11
5.1 Bioethanol.....	12
5.2 Biodiesel	13
6. Conclusions and Implications	14
References	16
Figures.....	20
Appendices.....	24

Profitability of Biofuels Production: the Case of Ethiopia

Zenebe Gebreegziabher, Alemu Mekonnen, Tadele Ferede, and Gunnar Köhlin*

1. Introduction

The scarcity and rising prices of fossil fuels, together with apprehension about the environmental harm created by them, have resulted in increasing efforts to search for alternative energy sources, and particularly the emphasis on biofuels. However, many uncertainties remain about the future of biofuels, including competition from unconventional fossil fuel alternatives and concerns about environmental tradeoffs. Moreover, volatility of world fuel prices leads to variability of prices of both biofuel and feedstocks. Uncertainties in prices in turn influence viability of biofuels investments. Therefore, key questions are: Can biofuels be profitably produced in Ethiopia? What is the oil price threshold beyond which biofuels production, be it for import substitution or export promotion, becomes viable and profitable? The main objective of this study is, therefore, to investigate the profitability of biofuel investment, taking Ethiopia as a case study. Specifically, this study attempts to:

- (i) analyze the viability of bioethanol and biodiesel production and
- (ii) suggest an oil price threshold beyond which bioethanol and biodiesel production may be profitable.

Findings reveal that bioethanol production (from molasses) in Ethiopia can be very viable. However, the viability (and competitiveness) of biodiesel production in Ethiopia will largely depend on cost/price of feedstock. Although most of the companies registered had the intention of pursuing large-scale commercial development, especially those companies registered for the cultivation of energy crops for biodiesel production, only very few of them are in operation. Moreover, at present only two of the sugar factories, Finchaa and Metehara, are producing bioethanol. This posed a data limitation in our study.

* Zenebe Gebreegziabher, email: zenebeg2002@yahoo.com, Department of Economics, Mekelle University, P.O. Box 451, Mekelle, Tigray, Ethiopia. Alemu Mekonnen, email: alemu_m2004@yahoo.com, Department of Economics, Addis Ababa University, P.O. Box 150167, Addis Ababa, Ethiopia. Tadele Ferede, email: tadeleferede@yahoo.com, Department of Economics, Addis Ababa University, Ethiopia. Gunnar Köhlin, Department of Economics, University of Gothenburg. The authors gratefully acknowledge financial support for this work from Sida through the Environment for Development (EfD) initiative, Department of Economics, University of Gothenburg.

Ethiopia is viewed as one of the most suitable nations in Africa for tapping renewable sources of energy because of its location. This is the case not only for its own economy, but also for export to economies in the region, such as Kenya, Djibouti and Sudan. The country has also been looking at enhancing its energy capacity, especially over the past two decades (Gebreegziabher and Mekonnen 2011). The government's recently issued biofuel strategy to encourage domestic biofuels production, with an objective of reducing the dependence on high-cost fossil oil, is also a manifestation of this endeavor (MoME 2007). Ethiopia is a country with a total land mass of 1.2 million km² and is said to have an estimated potential area of about 25 million hectares of land suitable for production of biodiesel feedstock (Gebremeskel and Tesfaye 2008). Given rising world prices of fossil oil, the biofuels industry has developed a very significant national presence. Accordingly, there are biofuels investment activities in different regions of Ethiopia with a focus on bioethanol and biodiesel production. Besides, Ethiopia embarked on a 5% blend of bioethanol in transport fuel in 2008, which was doubled to 10% a few years later. Official reports also indicate that, by blending more than 38.2 million liters of bioethanol with gasoline, the country has been able to save 30.9 million US dollars on oil imports since 2008 (Biofuelsdigest 2013). Although the recently launched Climate Resilient Green Economy (CRGE) strategy of Ethiopia envisages 5% biodiesel blending in transport fuel by 2030 (FDRE 2011), biodiesel blending in transport fuel has not yet started in Ethiopia. As part of the planned large-scale expansion in the sugar industry that is stipulated in Ethiopia's national Growth and Transformation Plan (GTP), the country also aims to produce 181,604 cubic meters of bioethanol from sugar byproducts (from molasses) toward the end of the GTP period 2010/11-2014/15 (MoFED 2010). In addition, constructing bioethanol plants in conjunction with existing and upcoming sugar factories is underway.

However, the opportunities created and challenges posed by increased production of biofuels have been a subject of considerable policy debate (Searchinger et al. 2008; Azar 2011) and the debate is still on-going. Though many countries engage in biofuels production to diversify energy sources, reduce GHG emissions and/or reduce dependency on imported fossil fuels, the profitability of biofuels production has been less explored. Moreover, volatility of world fuel prices leads to variability of prices of both biofuel and feedstocks. Uncertainties in prices in turn influence viability of biofuels investments. Therefore, it is natural to ask "will it be economically feasible to produce biofuels?" This paper is coming out of broader research projects on "impacts and profitability of biofuels in Ethiopia" that looked into the various dimensions of the biofuels debate. Gebreegziabher et al. (2013) examine the distributive (welfare) effects and food security implications of biofuels investment in Ethiopia. Ferede et al.

(2013) look at biofuels, economic growth, and the external sector in Ethiopia. This paper contributes to the existing but very limited literature on the viability of biofuels production. Specifically, it broadens our understanding of whether and how biofuels production can be economically viable and internationally competitive by providing insights from a country-specific case study. The paper indicates an oil price threshold beyond which biofuels can be profitable in this context.

The rest of the paper is organized as follows. In the next section, we review related literature. Section 3 provides an overview of the biofuels sector in Ethiopia. Section 4 presents the methodology employed, including the analytical framework, as well as data, context and study considerations. Section 5 presents results and discussion, while Section 6 concludes and draws implications for policy.

2. Literature Review

An increasing number of developing countries have initiated biofuel production to meet domestic market and international demand. Reasons for engaging in biofuels production include diversifying energy sources, alleviating dependence on imported fossil energy, and reducing greenhouse gas (GHG) emissions (OECD-FAO 2008; Elbehri et al. 2009). Increases in fossil fuel prices create the potential for profitable biofuels industries in developing countries; this has been accompanied by the development of new technologies for using biomass for biofuels (Slater 2007). Biofuels are said to have a lower environmental footprint than fossil fuels because their use is expected to release fewer greenhouse gases into the atmosphere, although that contention is debatable. It is important to note that developing countries pursue different feedstock-biofuel (bioenergy) pathways and that the net effect of biofuels on the environment is heavily determined by the type of pathway used to produce ethanol and biodiesel (Mortimer et al. 2008; Zah et al. 2007).

Azam et al. (2005) assess the prospects and potential of fatty acid methyl esters of some non-traditional seed oils for use as biodiesel in India. They conclude that these selected plants have great potential for biodiesel. Based on a review of the literature, Barnwal and Sharma (2005) also assess prospects of biodiesel production from vegetable oils in India. Their economic feasibility analysis shows that the biodiesel obtained from non-edible oils is cheaper than that from edible oils. James and Swinton (2009) find that the break-even biomass prices and yields provide benchmarks for evaluating the profitability potential of converting current cropland to bioenergy crops, especially when adapted to individual grower conditions.

Quintero et al. (2012) analyze social and techno-economical aspects of biodiesel production in Peru. In their work, the costs of biodiesel production from oil palm and jatropha were analyzed under different scenarios. Total production costs for oil palm biodiesel production ranged between 0.23 and 0.31 USD/L, while jatropha biodiesel production costs were between 0.84 and 0.87 USD/L. These production costs are analyzed and compared to biodiesel ex-factory prices and diesel fuel production cost factors. Their results suggest that involving smallholders in the supply chain can, under some conditions, be competitive with liquid biofuel production systems that are purely large scale. Felix et al. (2010) identified the scenarios that best match Tanzanian conditions: ethanol from sugar-cane juice, with feedstock being supplied from a combination of out-growers (smallholder farmers) and commercial estates; ethanol from molasses; ethanol production from cassava, with feedstock supplied from small-scale cassava producers; and biodiesel from jatropha, with feedstock supplied by out-growers (small-scale farmers). They also find that production of biodiesel from palm oil is not economically viable and places too much risk on oil palm use for food and hence is not recommended for Tanzania.

Janaun and Ellis (2010) highlight some of the perspectives for the biodiesel industry to thrive as an alternative fuel, while also discussing the benefits and limitations of biodiesel. The benefits include the improvement of the conversion technology to achieve a sustainable process at cheaper cost, environmentally benign and cleaner emissions, diversification of products derived from glycerol, and policy and government incentives. They also provide an overview of ways to make the production process more economical by developing high conversion and low cost catalysts from renewable sources, and utilizing waste oil as feedstock. Moreover, they emphasize the need for public education and awareness for the use and benefits of biodiesel, while promoting policies that will not only promote the industry, but also promote effective land management.

Gallaghera et al. (2005) analyze the relation between plant size and capital cost in the dry mill ethanol industry. Their estimates suggest that capital costs typically increase less than proportionately to plant size/capacity in the dry mill ethanol industry because the estimated power factor is 0.836. However, capital costs increase more rapidly for ethanol than for a typical processing enterprise when judging by the average 0.6 factor which is taken as a rule. Some estimates also suggest a phase of decreasing unit costs followed by a phase of increasing costs. They note that dry mills could be somewhat larger than the current industry standard, unless other scarce factors limit capacity expansion. Their analysis also suggests that the average capital cost for plant of a given size at a particular location is still highly variable due to costs associated with unique circumstances, possibly water availability, utility access and environmental

compliance, despite the statistical significance of an average cost-size relationship. Rosa (2009) analyzes the dimension and profitability of the integrated biodiesel chain with different organizations as well as their effectiveness in different industrial organization contests in the EU. She suggests that the optimal size of plants with a higher level of exploitation of their capacity within an integrated organization is an important part of the cost-reducing process.

Jumbe et al. (2009) emphasize that national governments in Sub-Saharan Africa should develop appropriate strategies and regulatory frameworks to harness the potential economic opportunities from the development of biofuels. At the same time, they stress the importance of protecting the environment and rural communities. Rural communities are at risk from adverse effects if land is alienated from mainstream agriculture toward the growing of energy crops for biofuels at the expense of traditional food crops.

Janssen and Rutz (2011) suggest the following so that sustainability requirements will not impose unjustifiable burdens on biofuels producers or block development opportunities in developing countries. First, harmonization is urgently needed in order to avoid trade distortions and barriers or exclusion of developing countries from the emerging trade in biofuels due to the large number of existing initiatives on certification schemes. Second, a practicable and worldwide accepted sustainability program is needed in order to avoid the negative impact of biofuel production. Third, more research is needed on various aspects of the impact of biofuel production. Finally, close cooperation is needed between stakeholders and policy-makers from Latin America, Europe, the US, Asia and Africa to ensure that future sustainability schemes are implemented for the benefit of both countries producing and importing biofuels.

The following issues stand out. First, it is important to note that different countries pursue different feedstock-biofuels (bioenergy) pathways and the viability of biofuels is heavily determined by the type of pathway pursued to produce bioethanol and biodiesel. Institutional arrangements make a difference for viability; a biofuels business model can be based on plantation-based, capital-intensive agriculture, on the one hand, or out-grower schemes, on the other. Other factors that matter include capital cost, firm size, choice of processing technology, and industrial organization issues. Quintero et al. (2012) suggest that involving smallholders in the supply chain can, under some conditions, be competitive with liquid biofuel production systems that are purely large scale. Some argue that, despite the statistical significance of an average cost-size relationship, average capital cost for a plant of a given size at a particular location is still highly variable due to costs associated with unique circumstances, possibly water availability, utility access and environmental compliance (Gallaghera et al. 2005). Moreover, the

labor cost or wages, productivity, energy and transport costs, types and price of feedstocks, etc., also influence viability.

3. Biofuels Sector in Ethiopia: Overview

The potential for producing fuel alcohol from molasses and other raw materials, including trees such as eucalyptus, is quite large in Ethiopia. In fact, if considered seriously, production of bioethanol from biomass is considered to have a double dividend, i.e., solving the fuel problem and fighting deforestation (Bayissa 2002). The country is also said to have high potential for biodiesel production (Gebremeskel and Tesfaye 2008). The current biofuel development strategy in the country emphasizes the production of bioethanol from sugar beet, sugar cane, sweet sorghum and others, and biodiesel from jatropha, castor bean plants, and palm (MoME 2007).

Previously, there was only one biofuel factory in Ethiopia, a power alcohol plant that has been producing bioethanol as a byproduct at Finchaa Sugar Factory. Finchaa has a distillery (an ethanol plant) annexed to its sugar mill with a capacity of 12 million liters/year. The plant was commissioned in 1998 and produces ethanol from sugarcane molasses, a byproduct of the sugar mill; it had a stock of about four million liters of bioethanol at the end of December 2001 (Bayissa 2002). However, although the government had issued a directive allowing Finchaa to produce and sell fuel alcohol to oil companies, who would in turn blend it with gasoline and distribute it to motorists, it could not sell its fuel alcohol on the market at that time. The major reasons for the refusal of the oil companies appeared to be the need for rehabilitating the existing old fuel stations and lack of interest in investing in a fuel sales operation that gives them little profit. This was also viewed as a lack of understanding and absence of commitment to alleviate one of the major problems of the country.

However, the interest in biofuels development has been revitalized with the recent hike in oil prices. Several local and international private and public biofuels companies (developers) have registered in the country since 2006. For example, by 2010 there were more than 82 registered biofuel investors (see Table A1 in the appendices), most of which were registered for the cultivation of energy crops for biodiesel production. In the case of bioethanol, however, there are only a few developers in the country, most of which are publicly owned sugar factories that intend to produce bioethanol as a byproduct of sugar production. Reports also indicate that about 1.5 to 2 million hectares of land have already been offered for biofuels investment (ABN 2007; Lashitew 2008; Lakew and Shiferaw 2008; Beyene 2011). In the case of the companies registered for the cultivation of energy crops for biodiesel production, most of them had the

intention of going for large-scale commercial development. However, very few of them are in operation. At present only two of the sugar factories, Finchaa and Metehara, are producing bioethanol. The rest are at the pre-implementation stage, either retrofitting existing factories for ethanol development, or at the very early stage of land cultivation for planting sugarcane.

Biofuels development in Ethiopia is unique in two important respects. Firstly, the biofuels sector is characterized by a diversity of biofuels feedstock crops (jatropha, castor bean, sugarcane, and palm oil, including indigenous trees). Second generation biofuels, i.e., molasses, a byproduct, is used for bioethanol production, whereas jatropha, castor bean and palm are used for biodiesel production. There are also intercropping options with other crops in the case of castor beans. Secondly, the biofuels business model in Ethiopia includes a mix of plantations, out-growers schemes, and community development models. For example, REST in Tigray and ORDA in the Amhara region are involved in biofuels under a community development model.

The biofuels investment survey was conducted in 2010 by the Environmental Economics Policy Forum for Ethiopia (EPPFE) at the Ethiopian Development Research Institute (EDRI). According to the biofuels investment survey, there are about 15 biofuels companies, including NGOs, involved in biofuels production in Ethiopia. The survey revealed that only one company exported biodiesel at least once, and two companies are at the product testing stage. The rest are still at a much younger stage. The survey also determined that there are complementary local innovations going on in the biofuels sector, including the invention of biodiesel stoves, processors/distilleries, and biogas driven vehicles. All these suggest that the sector requires policy attention and could possibly be one avenue to reducing poverty and enhancing growth. However, the survey also found that the sector suffers from a lack of appropriate institutional setup in terms of better regulatory framework and follow up, particularly at the regional levels. Table A2 provides an overview of characteristics of this sector in Ethiopia from the survey results.

As for production characteristics, while large scale sugarcane is mainly plantation-based, jatropha and castor bean production activities are undertaken by a combination of plantation-based and smallholder production through out-growers schemes. Table 1 provides biofuels production characteristics. According to the recent biofuels investment survey, sugar cane accounted for a larger share of the total land allocated to biofuel crops (Figure 1). However, it is important to note that a small proportion of the total land allotted to biofuels production was utilized in 2007. For instance, while a fifth of the total land allocated for biofuels is utilized in castor bean, the figures for jatropha and palm oil are very small, i.e., 1.5% and 0.8%,

respectively, in 2009 (Figure 2). A little more than half of the total land allotted to sugarcane has been utilized over the same period.

4. Methodology

In this section, we present the methodology we employed in the study. Note that two biofuels, bioethanol and biodiesel, are being considered in the analysis. Molasses is used as feedstock for bioethanol production in Ethiopia; the Finchaa and Metehara sugar factories are currently producing bioethanol. On the other hand, jatropha, castor seed, and oil palm are crops/plants mainly grown as feedstocks for biodiesel production. Plants like *Argemone mexicana* and *Croton macrostachyus* are also being promoted and tested in some parts of Ethiopia. The conceptual framework and empirical procedure outlined in this paper apply to these biofuels and feedstock. First, we discuss the conceptual framework, i.e., the theory underlying our analysis and then we discuss the empirical approach, including data and study considerations.

4.1 Conceptual Framework

The two approaches employed are farm budget (James and Swinton 2009) and investment theory or analysis approach (Rosa 2009). The farm budget approach provides details of the revenue and cost structure of the biofuels industry. It involves a break-even analysis of yields and prices. That is, it consists of determining either break-even prices given yield or break-even yield given prices. By doing so, the economic viability of biofuels production can be assessed.

The investment analysis approach takes a long-term perspective. That is, it involves a more detailed valuation and analysis of future streams of costs and benefits of biofuels ventures, including assessing associated risks arising due to changes in prices, technology, etc. Competitiveness and viability of the biofuels industry are largely determined by fossil oil and biofuels prices in the international market. At what cost a unit (a liter) of bioethanol or biodiesel can be produced is important. So, in our case we applied investment theory or analysis framework (Dixit and Pindyck 1994).

Consider a biofuels firm (processing plant) that operates independently from the farm unit to maximize profit obtained from the difference between revenue and cost cash flow. Hence, gross margin for the firm can be specified as (Rosa 2009):

$$\pi = MtQgt - CpQgt = (Mt - Cp)Qgt; \quad (1)$$

for $Mt = coPot + cpPgt - Pgt$; $Rt = coPot + cpPgt$

where Mt is a composite market price for processing one unit of feedstock seed; Qgt is quantity of feedstock seeds; Cp is operation cost; co is the seed/oil conversion coefficient; cp is the conversion coefficient oil/cake; $coPot$ and $cpPgt$ respectively are price equivalents of oil and panel revenues per unit of feedstock seed processed and Pgt the production cost of the feedstock seed at time t .

Note that a firm (investor) seeks to maximize the discounted value of the future cash flow less the current cash outlay for the physical capital of the plant ($K(Qc_t)$). Hence, a ‘capitalized profits’ form of the expected present value with anticipation of the rate of price increase net of cost of processing plant K is given by:

$$VAN^e_t = \sum_{i=1}^N (RN^e_t / (1+r^*)^i) - K. \tag{2}$$

The VAN must be considered as a rent to be capitalized, obtained from a plant of appropriate size with respect to the supply of feedstock. Hence,

$$VAN^e_t = \pi^e_t / r^* Kf(Qgt). \tag{3}$$

where the term π^e_t is the expected net future income discounted at rate r ; the superscript e is the expectation about a future event and subscript t identifies the reference period, r^* is the real discount rate, and $Kf(Qgt)$ is the capital function of the firm (processing plant), which is a *non-linear U* shaped function of the quantity of feedstock processed (returns to scale).

Note that r^* is an adjusted real interest rate that takes into account all possible changes in futures prospects (price changes) and incorporates the risk implied in the realization of future profits. Hence,

$$r^* = r - \alpha + \varphi\rho\sigma \tag{4}$$

where α is the anticipated growth rate (varying between 0 and 1) in product price; φ , ρ , σ respectively represent the risky prospects of the market price; the correlation between biofuels profit and the market portfolio; and the standard deviation of % change in biofuels processing price.

The first order condition from Equation (3) (the expected present value criterion) provides a rule for optimal capital growth. According to Tobin's q , the capacity (K) should increase until the capitalized value of the marginal investment is equal to the purchase cost.

Alternatively, marginal profitability can be decomposed to obtain the usual competitive pricing rule as:

$$Mt = Cp + \frac{\partial K}{\partial Qgt} \quad (5)$$

This equation [Equation (5)] says that price (MR) equals the marginal production cost that includes the operating cost component and the capital cost component.

4.2 Data Analysis, Context and Study Considerations

The conceptual framework presented above suggests that the optimality condition holds when price (i.e., marginal revenue (MR)) equals the marginal production cost (MC) that includes the operating cost component and the capital cost component for a biofuel venture to be economically viable. Therefore, we consider unit cost analyses that capture both the operating cost and the capital cost components for empirical calculations of viability of bioethanol and biodiesel production, as well as for international comparison.

The decision to produce biofuels depends on considerations of a host of factors, including institutional arrangement (biofuels business model), choice of processing technology (capital cost and firm size), labor cost or wages, productivity, energy and transport costs, and types and prices of feedstocks. As previously discussed, in Ethiopia the Finchaa and Metehara sugar factories are the ones that are currently producing bioethanol, using molasses as feedstock for bioethanol production. Crops/plants grown for biodiesel production are mainly jatropha, castor seed, and palm oil. But plants such as *Argemone mexicana* and *Croton macrostachyus* are also being considered, promoted and/or demonstrated in Tigray by the Africa Power Initiative (API).

Two sets of data sources are used for this study. These are survey data and estimates, which are discussed below in that order.

(i) Survey data is obtained from a biofuels investment survey in Ethiopia conducted by EEPFE at EDRI in 2010. A structured questionnaire was developed to collect the relevant data. The instrument covered questions related to time elapsed in the investment process from application and registration through to land acquisition; feedstock production and utilization, including purchase price of feedstock offered to out-growers, labor/capital inputs to feedstock production and related expenses; investment in plants and equipment and plant capacity; biofuels

(bioethanol and biodiesel) extraction (processing) and sales; and an assessment of environmental and social issues. A list of over 45 companies registered for biofuels investment was obtained from the Ethiopian Investment Agency. Then, about 15 biofuels companies, including 2 NGOs involved in biofuels and actually operating in the field, were approached to fill out the structured questionnaire. There were six non-responses. Besides its use in calculating the input-output coefficients, the survey also helped to characterize the biofuels sector in Ethiopia.

A four-year (2007 to 2010) detailed breakdown of bioethanol production costs is obtained through the survey from the Finchaa Sugar Factory. This data is used for the unit cost analysis of bioethanol production in Ethiopia. Moreover, data on production costs as well as sales prices are also obtained for the years 2011 and 2012 from Finchaa and Metehara Sugar Factories.

(ii) Biodiesel production in Ethiopia is at its infant stage and has yet to mature. That is, much of the effort in Ethiopia so far has focused on nurturing the feedstock market, i.e., the inputs needed for biofuels production. Most important, of the companies registered for large-scale commercial development of biodiesel, very few are in operation. Most of the firms in operation are still very young and detailed records of costs of production and inputs use couldn't be found. Therefore, estimates based on field visits and literature (i.e., experiences elsewhere) are used as the second data source. That is, own cost estimation, based on field visits and literature reviews, is used, especially in the unit cost analysis of biodiesel production. In this regard, key aspects are: what does a biodiesel plant of a certain capacity cost? How much will it cost to produce biodiesel? How does the production cost relate to the selling price? From the field visit, it was possible to determine the types of feedstock crops being promoted for biodiesel production, especially those that are at a trial stage; feedstock costs; and oil content or seed to oil conversion coefficient of the feedstocks considered. Information on the setup of the biodiesel processing plant, technology alternatives on processing capacity and costs, necessary chemical supplies and associated costs are obtained from the literature review, i.e., review of experiences elsewhere. The considerations that are used in the viability analysis of biodiesel are provided in Box 1.

5. Results and Discussion

As previously noted, this paper focuses on analyzing the viability of biofuels (bioethanol and biodiesel) production, taking Ethiopia as a case in point. We first present and discuss the results for bioethanol, followed by biodiesel.

5.1 Bioethanol

We now present the viability analysis for bioethanol production in Ethiopia. The viability analysis of bioethanol production is carried out based on a detailed breakdown of four years (2007 to 2010) of bioethanol production cost data obtained from Finchaa Sugar Factory. The results are provided in Table 2. Note that the discussion of results is based on a four-year average. As can be seen from the table, feedstock, supplies and other costs constitute important cost components in the context of Ethiopia. The results also suggest that bioethanol can be produced in Ethiopia with the cost of ETB 3.19/gallon or ETB 0.84/liter at the factory gate. Moreover, the unit sales price of molasses bioethanol is analyzed based on a four year average (see Table 3). The results suggest that the unit sales price of molasses bioethanol at the factory gate in Ethiopia is ETB 3.23/gallon. Considering an exchange rate of ETB 13.5/US\$ during August 2010, i.e., during the survey period, this is equivalent to a unit production cost of US\$ 0.24/gallon and sales price of US\$ 0.29/gallon or US\$ 0.08/liter. Production costs, as well as sale prices at the factory gate for the years 2011 and 2012, also obtained from the Finchaa and Metehara sugar factories, are used to augment our analysis. As can be seen from Table 4, the unit production costs at the factory ranged between ETB 2.73 and ETB 4.70 per liter. The unit sale prices also ranged between ETB 3.00 and ETB 8.90 per liter. The data also suggest that the sales prices sufficiently cover production costs.

It would be of interest to provide an international perspective in order to visualize the viability and international competitiveness of Ethiopia's engagement in bioethanol production. The world ethanol price increased by 32% to \$2.18 per gallon in 2010, after declining by 5.3% in 2009, partly due to a decline in ethanol exports from Brazil. Then, ethanol prices dropped in 2011. Though regional market conditions varied, world ethanol prices declined early in 2012 (OECD 2013). In general, movement in ethanol price is largely driven by what is happening in Brazil and the US, but also by movements in world oil price. For example, in the United States, with the extent of the drought becoming apparent, ethanol prices began to rebound in late 2012, driving up feedstock prices. In Brazil, improved supplies due to an improved sugar cane crop in the second half of 2012 pulled down domestic ethanol prices. As a net effect of all the various underlying factors, the world price of ethanol is expected to increase by 8% in real terms over the next decade between 2012 and 2022, slightly more than the 7% increase in oil prices expected during this period, before starting to increase over the first part of the projection period

Therefore, if ethanol price is projected to vary, say, between \$1.5 and \$2.5 per gallon in the next decade (FAPRI 2008; 2011), then, with the unit production cost equivalent to US\$

0.24/gallon, one can visualize that bioethanol production (from molasses) in Ethiopia is indeed viable and competitive internationally.

Over the past few years, ethanol markets have been strongly influenced by the level of crude oil prices. Therefore, uncertainties in the fossil energy sector are directly translated into uncertainties in the ethanol and agricultural sectors. This is also due to the fact that ethanol production is expected to represent a sizeable part of the demand for agricultural feedstock (OECD/FAO 2013). Moreover, the sector is also vulnerable to perturbations in agricultural production caused by unfavourable climatic or weather conditions. It could be envisaged that all these uncertainties will have a bearing on bioethanol production of the country.

5.2 Biodiesel

As explained earlier, biodiesel production in Ethiopia is at its infant stage and has yet to mature. Therefore, estimates based on field visits and literature reviews are used to analyze the viability of biodiesel production in Ethiopia. Three biodiesel feedstock crops are considered in the unit cost analysis: Argemone Mexicana, jatropha and castor bean. Results are presented in Table 5. As can be seen from the table, production costs for biodiesel varied from crop to crop, ranging between ETB 17.02 and 29.02 per liter. The results suggest the production cost of biodiesel in Ethiopia can reach up to about 2.00 US\$/liter.

However, to draw meaningful insights, results presented above need to be contrasted with world oil prices and international experience. For example, in Peru, production cost of biodiesel from oil palm and jatropha is 0.23-0.31 USD/L and 0.84-0.87USD/L, respectively. So, if world oil price is expected to vary between 42 to 200 USD/barrel (Arndt et al. 2010), biodiesel firms in Ethiopia must be able to produce less than 1USD/L.

The world biodiesel price (Central Europe FOB) increased to \$4.82 per gallon in 2008. This was driven by high demand, as EU countries attempted to achieve their biofuel targets, and by high crude-oil prices (FAPRI 2008). However, expanded production in Argentina and Brazil led to a decline in biodiesel prices in 2009. Because of lower exportable surpluses from Argentina because of its B5 mandate (i.e., mandatory biodiesel blend of 5%), and driven by higher petroleum and vegetable oil prices, the world biodiesel price increased to \$4.14 per gallon in 2010. Then, world biodiesel price increased to \$4.77 per gallon in 2011, driven by higher petroleum prices, demand expansion due to growing domestic mandates in several countries (Brazil, Argentina, the EU, and the US), and higher vegetable oil prices. According to OECD-FAO (2013), the world biodiesel price declined in 2012 from the high level recorded in 2011.

The price of vegetable oil, which is the main feedstock used to produce biodiesel, remained high in 2012, partly because of the reduction in supply caused by the American drought. In general, it takes two years following such a drought for the world price ratio between biodiesel and vegetable oil to return to the long term equilibrium (OECD–FAO, 2013). Because the vegetable oil price is falling in real terms, the biodiesel price also falls in real terms, but from historically high levels. The crude oil price has a much smaller influence on the world biodiesel price than it does on the world ethanol price, simply because consumption is determined by government regulation and rarely by demand. In general, the price of biodiesel is expected to reach \$5.97 per gallon by 2025.

From the foregoing analysis, and also in light of the international perspective, it turns out that currently biodiesel production in Ethiopia is not viable. This raises the question: how can it be made viable? In light of the various cost items considered, first, it appears that the viability (and competitiveness) of biodiesel production in Ethiopia will largely depend on the cost/price of feedstock. Therefore, measures that drive down the cost/price of feedstock could be envisaged to enhance viability. Obviously, R and D effort/knowledge support the biofuels industry; a search for better adaptive/better seed yielding varieties and good oil quality biofuels crops could be envisaged to play a significant role in this regard. However, this could be viewed as a long term endeavour, given the time needed to come up with new varieties. In addition to R and D efforts or knowledge support focusing on higher seed yielding and oil quality biofuels crops varieties, other options could be considered to enhance profitability; these include viable alternatives of co-production through value addition from byproduct seedcake and intercropping options.

Second, the cost of supplies (chemicals) turned out to be the next most important component. This is largely due to the high cost of the chemicals used for methanol esterification. Hence, shifting from methanol to ethanol esterification could be envisaged as an important strategy for cost minimization.

6. Conclusions and Implications

Viability analysis and determining the oil price threshold beyond which biofuels can be profitable is useful to guide policy. The main objective of this study is to investigate the profitability of biofuel investment in Ethiopia. Specifically, the purposes of this study are to analyze the viability of investment in biofuels and to determine the oil price threshold beyond which biofuels may be profitable, taking Ethiopia as a case in point.

The following conclusions can be drawn from the analysis in this paper:

- i) Bioethanol production (from molasses) in Ethiopia can be quite viable.
- ii) The viability (and competitiveness) of biodiesel production in Ethiopia will largely depend on the cost/price of feedstock.

The following are implications in terms of what can be done to enhance the viability of biodiesel production in Ethiopia:

- i) Viable alternatives of co-production through value addition from byproduct seedcake and intercropping options need to be considered to enhance profitability.
- ii) R and D effort/knowledge support to the biofuels industry should include the search for better adaptive/better yielding varieties and good oil quality biofuels crops.

Interestingly, there are complementary local innovations going on in the biofuels sector, including the invention of biodiesel stoves, processors/distilleries, and biogas driven vehicles. All these suggest that the sector requires policy attention and could possibly be one avenue to reducing poverty and enhancing growth. However, we also found that the sector suffers from a lack of appropriate institutional setup in terms of better regulatory framework and follow up, particularly at the regional level. Therefore, better regulatory framework and follow up is called for.

This is a case study involving few observations because of the small size of the universe of producers in question. Hence, further analysis is called for as the sector expands. In general, the biofuels industry in Ethiopia can be viewed as a possible pathway out of poverty (Gebreegziabher et al. 2013). However, a lot remains to be done to enhance its viability, especially as it relates to biodiesel.

References

- ABN (African Biodiversity Network). 2007. "AGRO Fuels in Africa: The Impacts on Land, Food and Forests."
<http://www.africanbiodiversity.org/sites/default/files/PDFs/Agrofuels%20in%20Africa-Impacts%20on%20land%2C%20foods%20%26%20forests.pdf> (retrieved May 30, 2011).
- Arndt C., S. Msangi, and J. Thurlow. 2010. Are Biofuels Good for African Development? An Analytical Framework with Evidence from Mozambique and Tanzania. UN-WIDER Working Paper No. 2010/110.
- Azam, M.M., A. Waris, and N.M. Nahar, 2005. Prospects and Potential of Fatty Acid Methyl Esters of some Non-traditional Seed Oils for use as Biodiesel in India. *Biomass and Bioenergy* 29(4): 293-302.
- Azar, C. 2011. Biomass for Energy: A Dream Come True . . . or a Nightmare? *Wiley Interdisciplinary Reviews: Climate Change* 2(3): 309-323.
- Barnwal, B.K., and M.P. Sharma. 2005. Prospects of Biodiesel Production from Vegetable Oils in India. *Renewable and Sustainable Energy Reviews* 9(4): 363-378.
- Bayissa, B. 2002. The Prevailing Fuel Crisis and Mitigating Measures. In: Energy in Ethiopia: Status, Challenges, and Prospects. Proceedings of Energy Conference 2002, UNCC, Addis Ababa, 21-22 March 2002. Professional Associations Joint Secretariat, S&TC, Addis Ababa.
- Beyene, A. 2011. Biofuels Production and Their Implication on Livelihoods: Ethiopia. Paper presented at ECAS 2011 - 4th European Conference on African Studies, African Engagements: On Whose Terms? Uppsala 15-18 June 2011.
- Biofuelsdigest. 2013. Biofuelsdigest-Ethiopia
<http://www.biofuelsdigest.com/bdigest/tag/ethiopia/> (retrieved June 2014).
- Dixit, A., and R. Pindyck. 1994. Investment under Uncertainty. Princeton: Princeton U. Press.
- Elbehri A, McDougall R, Horridge M (2009). A global model for agriculture and bioenergy: application to biofuel and food security in Peru and Tanzania. Paper presented at the 27th Conference of the Association of Agricultural Economists, Beijing, 16–22 Aug 2009,

- Fargione, J., J. Hill, D. Tilman, S. Polasky, P. Hawthorne, 2008. Land Clearing and the Agrofuel Carbon Debt. *Science* 319(5867): 1235-8.
- FDRE (Federal Democratic Republic of Ethiopia). 2011. Ethiopia's Climate-resilient Green Economy (CRGE) Strategy, FDRE, Addis Ababa.
- Felix, E., C.A. Cardona, and J.A. Quintero. 2010. "Technical and Economic Viability of Biofuel Production Chains." In I. Maltoglou and Y. Khwaja (eds.), *Bioenergy and Food Security: The BEFS Analysis for Tanzania*. Rome: Food and Agriculture Organization of the United Nations.
- Ferede, T., Z. Gebreegziabher, A. Mekonnen, F. Guta, J. Levin, and G. Kohlin. 2013. Biofuels, Economic Growth, and the External Sector in Ethiopia: A Computable General Equilibrium Analysis. RFF Discussion Paper EfD 13-08. Environment for Development (EfD) Initiative and Resources for the Future (RFF), Washington DC, July 2013. (<http://www.rff.org/RFF/Documents/EfD-DP-13-08.pdf>).
- FAPRI (Food and Agricultural Policy Research Institute). 2008. US and World Agricultural Outlook, FAPRI Staff Report 08-FSR 1. Ames, Iowa: Iowa State University and University of Missouri-Columbia.
- FAPRI (Food and Agricultural Policy Research Institute). 2011. Overview of the FAPRI-ISU 2011 World Agricultural Outlook, FAPRI Staff Report 11-FSR 1. Ames, Iowa: Iowa State University and University of Missouri-Columbia.
- Gallagher, P.W., H. Brubaker, and H. Shapouri. 2005. Plant Size: Capital Cost Relationship in the Dry Mill Ethanol Industry. *Biomass and Bioenergy* 28(6): 565-571.
- Gebreegziabher, Z., and A. Mekonnen. 2011. "Sustainable Financing of Ethiopia's Energy Infrastructure: An Economic Analysis." In: G. Alemu and W. Gebeyehu (eds.), *Proceedings of the 9th International Conference on the Ethiopian Economy Volume II*. Addis Ababa: EEA (Ethiopian Economics Association), pp.155-176.
- Gebreegziabher, Z., A. Mekonnen, T. Ferede, F. Guta, J. Levin, G. Kohlin, T. Alemu, and L. Bohlin. 2013. The Distributive Effect and Food Security Implications of Biofuels Investment in Ethiopia: A CGE analysis, EfD DP 13-02. Environment for Development Initiative and Resources for the Future.
- Gebremeskel, L., and M. Tesfaye. 2008. A preliminary assessment of socioeconomic and environmental issues pertaining to liquid biofuel development in Ethiopia. In T. Heckett

- and N. Aklilu (Eds) *Agrofuel Development in Ethiopia: Rhetoric, Reality and Recommendations*. Forum for Environment, Addis Ababa.
- Janaun, J., and N. Ellis. 2010. Perspectives on Biodiesel as a Sustainable Fuel. *Renewable and Sustainable Energy Reviews* 14(4): 1312-1320.
- Janssen, R., and D.D. Rutz. 2011. Sustainability of Biofuels in Latin America: Risks and Opportunities. *Energy Policy* 39(10): 5717-5725.
- Jumbe, C.B.L., F.B.M. Msiska, and M. Madjera. 2009. Biofuels Development in Sub-Saharan Africa: Are the Policies Conducive? *Energy Policy* 37(11): 4980-4986.
- Lakew, H., and Y. Shiferaw. 2008. "Rapid Assessment of Biofuels Development Status in Ethiopia." In T. Anderson and M. Belay (eds.), *Rapid Assessment of Biofuels Development Status in Ethiopia and Proceedings of National Workshop on Environmental Impact Assessment and Biofuels*. MELCA Mahiber, Addis Ababa.
- Lashitew, A.A. 2008. *Competition between Biofuel and Food Production in Ethiopia: A Partial Equilibrium Analysis*. MSc Thesis, Wageningen University.
- MoFED (Ministry of Finance and Economic Development). 2010. *The Five Years (2010/11-2014/15) Growth and Transformation Plan*. MoFED, Addis Ababa.
- MoME (Ministry of Mines and Energy). 2007. *The Biofuel Development and Utilization Strategy of Ethiopia*. MoME, Addis Ababa.
- Mortimer, N.D., A. Ashley, A. Evans, A. J. Hunter and V. L. Shaw 2008. *Support for the Review of the Indirect Effects of Biofuels*. Sheffield, UK: North Energy Associates Limited.
- OECD–FAO (Organization for Economic Cooperation and Development–Food and Agriculture Organization of the United Nations). 2008. *OECD–FAO Agricultural Outlook 2008–2017*. Paris.
- _____. 2013. Chapter 3: Biofuels. *OECD-FAO Agricultural Outlook 2013*.
- Quintero, J.A., E.R. Felix, L.E. Rincón, M. Crispín, J.F. Baca, Y. Khwaja, and C.A. Cardona. 2012. Social and Techno-economical Analysis of Biodiesel Production in Peru. *Energy Policy* 43(April): 427-435
- Rosa, F. 2009. The Profitability of Biodiesel Chain with Different Organizations. M. Fritz, U. Rickert, G. Schiefer (eds) *System Dynamics and Innovation in Food Networks 2009, Proceedings of the 3rd International European Forum on System Dynamics and Innovation in Food Networks, organized by the International Center for Food Chain and*

Network Research, University of Bonn, Germany February 16-20, 2009, Innsbruck-Igls, Austria, pp563-581.


Searchinger, T., R. Heimlich, R.A. Houghton, F. Dong, A. Elobeid, J. Fabiosa, S. Tokgoz, D. Hayes, and T.H. Yu. 2008. Use of US Croplands for Biofuels Increases Greenhouse Gases through Emissions from Land Use Change. *Science* 319: 1238-1240.

Slater, R. 2007. Biofuels: Starving People to Feed Cars? Or Growing Our Way Out of Poverty? ODI <http://www.odi.org.uk/events/2007/06/27/203-presentation-rachel-slater.pdf> (accessed 19 September 2009).

Zah R., Boni H., Gauch M., Hischer R., Lehmann M., Wager P. 2007. *Life cycle assessment of energy products: Environmental impact assessment of Biofuels. ETH-EMPA, St. Gallen.*


Figures

Figure 1. Share in Total Biofuel Crop Land by Biofuel Crop Type (%)



Source: Biofuel investment survey, 2010.

Figure 2. Ratio of Utilized Land to Total Land Allocated to Each Biofuel Crop (%)



Source: Biofuel investment survey, 2010.

Table 1. Biofuel Production Characteristics/Technical Coefficients

	Sugarcane and ethanol	Jatropha/castorbean diesel
Land employed (ha)	11,248.00	3,284.00
Biofuel crop production (tons)	569,168.00	200.00
Farm workers employed (in number)	5,365.00	4,384.00
Land yield	50.60	0.06
Farm labour yield	106.09	0.05
Land per capita	2.10	0.75
Capital per hectare	16.46	0.00
Labour-capital ratio	0.029	0.00
Biofuel produced (liters)	5,323,866.05	2,880.69
Processing workers employed	27	0.00
Feedstock yield (L/ton)	9.35	14.40
Processing labour yield	197,180.22	

Source: Biofuel investment survey, 2010.

Box 1. Study Considerations for Viability Analysis of Biodiesel.

1. 2000L/day biodiesel processing plant
2. 6days/week for 52 weeks
3. 1,000,000ETB investment on plant and building
4. 2 operators + 1 chemist
5. 15yrs/ 9% interest rate, maintenance 3.8% of plant cost
6. Feedstock (oilseed) purchase price of ETB 3,6,7/kg

Source: Authors' estimates based on field visits and literature review.

Table 2. Analysis of Molasses Bioethanol Production Costs

Item	Cost (ETB)
Feedstock (molasses)	0.69
Machinery, plant, power	0.35
Supplies	0.68
Labor	0.39
Others	1.07
Total cost (ETB/gallon)	3.18
Total cost (ETB/L)	0.84

Source: Authors' own analysis based on four years of data from Finchaa Sugar Factory.

Table 3. Sales Price of Molasses Bioethanol in Ethiopia at Factory Gate in 2010

Item	
Unit sales price (ETB/gallon)	3.23
Exchange rate (August, 2010) ETB/US\$	13.5
Unit sales price (US\$/gallon)	0.29
Liters/gallon	3.785
Unit sales price (US\$/L)	0.08

Source: Authors own analysis based on data from Biofuels Investment Survey 2010.

Table 4. Production Cost and Sales Price at Factory Gate of Bioethanol 2011 and 2012

Item	2011		2012	
	Finchaa	Metehara	Finchaa	Metehara
Production cost (ETB/L)	2.73	3.00	3.35	4.70
Sales price (ETB/L)	3.00	8.90	7.51	7.43

Source: Ethiopian Sugar Corporation, Annual Plan 2012/13.

Table 5. Analysis of Biodiesel Production Costs in Ethiopia

Item	Argemone mexicana	Jatropha	Castor seed
Feedstock (oilseeds)	9.00	18.00	21.00
Machinery, plant, power	1.26	1.26	1.26
Supplies	6.50	6.50	6.50
Labor	0.16	0.16	0.16
Others	0.10	0.10	0.10
Total cost (ETB/L)	17.02	26.02	29.02
Total cost (US\$/L)	≈1.00	≈1.50	≈1.70

Source: Authors' own analysis based on estimated data.

Appendices

Table A1. Number, Type and Regional Distribution of Biofuels Developers in Ethiopia

Region	Type*	
	Biodiesel	Bioethanol
Benshangul Gumuz	4(3)	
Amhara	7(5)	1
Oromia	16(3)	4(1)
SNNP	21(3)	
Gambela	4	
Afar		1
Total	52	6

* Numbers in () indicate projects that have started operation.

Source: Lakew and Shiferaw (2008)

Table A2. Overview of Characteristics of the Biofuels Sector in Ethiopia

Indicator	Number / description
No of firms/companies	>15 (incl. NGOs)
No of firms already at production stage	2
No of firms that started export	1
No of firms at production test stage	2
Total investment (capital)	Multimillion >1.3 b ETB (>0.1 billion USD)
Investment (type)	Largely foreign but also domestic
Land (000' ha)	>308 (currently operated); >101 (additional)
Year in operation	Since 2005
Installed plant capacity	492 to 28,800 liters/day
Employment opportunities.	>17,714 (Temp), >236 (Perm)
Crop types	Sugarcane, jatropha, castor bean, palm oil
Technology	Plantation, out-growers, and community development
Regions	All regions, Oromiya, SNNPR, Amhara, etc

Source: Results of biofuels investment survey 2010.